Clip out and save

The 1986 Index to Materials Performance

A guide to Materials Performance, Volume 25, 1986

MP by month and title

JANUARY

Editorial: Your attitude can make the difference, *L. C. Rowe* 7
Materials failures in sour gas service, *S. W. Ciaraldi* 9
Cathodic protection of storage field well casings, *J. Dabkowski* 17
A 20-year review of the use of cathodic protection for well casings, *W. F. Gast* 23
Inhibition of gas lifted well tubulars by automated chemical injection, *D. E. Hill, J. M. Galbraith, M. C. Wiewiorowski* 33
Effect of silicon on the corrosion resistance of iron in sulfuric acid, *B. J. Saldanha, M. A. Streicher* 37
Effects of H_2S partial pressure on the sulfide stress cracking resistance of steel, *M. Watkins, G. A. Vaughn* 44
Stress corrosion cracking of mill-annealed, Inconel-600 tubing in steam generators, *C. M. Owens* 49
Alternating current corrosion, *A. W. Hamlin* 55
NACE Glossary of Corrosion Related Terms 59
Erratum 81
Corrosion Basics 82
Restoring Lady Liberty—An update 83

FEBRUARY

Editorial: Behind the scenes, *L. C. Rowe* 7
Effects of laminate construction on critical strain levels, *L. J. Craigie, D. L. Caldwell, L. T. Guth, P. D. Karenetz* 9
Zirconium in sulfuric acid applications, *R. T. Webster, T. L. Yau* 15
Durability of a 60-year-old reinforced concrete pier in Oslo Harbor, *O. E. Gjorv, N. Kashino* 18
Comparison of electrochemical behavior and corrosion rate of alloy 625 in sulfuric acid, *J. R. Crum, M. E. Adkins* 27
Corrosion of power plant components in the presence of sulfur and chloride compounds, *J. P. Berge* 33
Role of bacterial exopolymers in the deterioration of metallic copper surfaces, *G. G. Geesey, M. W. Mittelman, T. Iwaoka, P. R. Griffiths* 37
Material for outlet ducts in wet FGD systems, *H. S. Rosenberg, G. H. Koch, M. L. Meadows, D. A. Stewart* 41
Corrosion Basics 87

MARCH

Editorial: Making plans, *L. C. Rowe* 7
Chlorinated waste incinerator heat recovery boiler corrosion, *W. C. Fort, III, W. R. Dicks* 9
FGD system failure analyses of metallic components, *P. F. Ellis, II, D. M. Anliker, G. D. Jones, D. A. Stewart* 15
Brittle fracture of a brick-lined pressure vessel, *L. R. Hurst, Jr.* 24
Telluric currents and their effects on pipelines in the Cook Strait region of New Zealand, *D. H. Boteler, M. J. Cookson* 27
Finite element determination of galvanic corrosion during chemical cleaning of steam generator, *J. W. Fu, S. Chan* 33
A tentative method for predicting the corrosivity of wells in new CO_2 fields, *J. L. Crolet, M. R. Bonis* 41
Cathodic protection of a guyed tower in 1000 feet of water, *J. R. Rau, T. W. Michie, S. M. Smith* 50
The evolution of the corrosion free airplane, *R. N. Miller* 57
Corrosion Basics 72
Corrosion on the Statue of Liberty—Part 2, *R. Babolan, E. B. Cliver* 80

APRIL

Editorial: There is no free lunch, *L. C. Rowe* 7
Performance of nickel 200 and E-brite 26-1 in first effect caustic environments, *J. R. Crum, W. G. Lipscomb* 9
Superheater design criterion to avoid cracking of austenitic stainless steel by caustic, *S. W. Dean, Jr., G. D. Grab* 13
HEDTA—A versatile chemical for cleaning steel surfaces, *W. W. Frenier, E. F. Hoy* 18
A superheater chemical cleaning study, *G. P. Gall, G. E. Casey, J. A. Sterling* 25
Zinc sacrificial anode behavior at elevated temperatures, *E. G. Haney* 31
Corrosion behavior of titanium and other alloys in laboratory FGD scrubber environments, *R. W. Schutz, J. S. Grauman* 35
Solar cathodic protection of coated steel gas distributions piping in soil, *J. Evans* 43
A computerized cathodic protection survey system for offshore platforms, *J. N. Britton, R. J. Holt* 46
Corrosion Basics 57
Corrosion on the Statue of Liberty—Part 3, *R. Babolan, E. B. Cliver* 74

MAY

Editorial: Speak out, *L. C. Rowe* 7
Soluble silicate corrosion inhibitors in water systems, *E. P. Ketsanis, W. B. Esmonde, R. W. Spencer* 19
Temporary rust-preventive compounds for steel sheet, *L. E. Helwig* 26
Mechanisms of organic inhibitors used in cooling water corrosion control, *G. Bohnsack, K. H. Lee, D. A. Johnson, E. Buss* 32
Effects of oilfield corrosion inhibitors on elastomeric seals, *M. J. Watkins* 40
Low nitrite inhibitor treatment for cooling systems, *A. Marshall, B. Greaves, D. M. Everitt* 45
The determination of corrosion inhibitor residual concentrations, *J. A. Martin, F. W. Valone, W. C. Haltmar* 51
Corrosion of internally reinforced soil retaining walls, *S. Frondistou-Yannas* 55
Corrosion Basics 65
Corrosion on the Statue of Liberty—Part four *B. Babolan, E. B. Cliver* 80

JUNE

Editorial: Put a little something back in the pot, *L. C. Rowe* 7
Standard test procedure for stress corrosion cracking threshold stress determination, *J. A. Beavers, W. E. Berry, R. N. Parkins* 9
Corrosion rate monitoring in kraft pulping process liquors, *D. C. Crowe, R. A. Yeske* 18
Low cost, low volume, continuous inhibition of gas production tubulars, *R. H. Hausler, S. G. Weeks* 27
Scale control in multiple stage flash evaporators, *D. P. Logan, S. P. Rey* 38
Molybdate as a pipeline corrosion inhibitor for coal-water slurry systems, *V. S. Sastri, R. Beaupre, M. Desgagne* 45
Field experience with alloy clad API Grade L-80 tubing, *B. D. Craig* 48
Study of biological corrosion in high temperature demineralized water, *J. G. Stoecker, D. H. Pope* 51
Corrosion Basics 73
Corrosion on the Statue of Liberty—Part five, *R. Babolan, E. B. Cliver* .....

JULY

Editorial: The search for improvement, *L. C. Rowe* 7

→

Troubleshooting the refinery desalter operation, *D. L. Kronenberger, D. A. Pattison* 9
Stress corrosion cracking of carbon welds in amine service, *J. Gutzeit, J. M. Johnson* 18
Performance of high nickel alloys in refinery and petrochemical environments, *J. C. Crum, M. E. Adkins, W. G. Lipscomb* 27
Hydrogen attack of carbon-0.5 molybdenum piping in ammonia synthesis, *K. L. Baumert, G. V. Krishna, D. D. Bucci* 34
Erratum 37
Control of microbiologically induced corrosion and accumulation of solids in a seawater flood system, *E. J. Geiger* 39
Corrosion of carbon steel tanks in concentrated sulfuric acid service, *S. W. Dean, G. D. Grab* 46
Effectiveness of nonabrasive cleaning methods for steel surfaces, *S. Frondistou-Yannas* 53
Corrosion Basics 71

AUGUST

Editorial: Laugh a little, *L. C. Rowe* 7
Efficacy of biocides in a laboratory model cooling tower, *W. F. McCoy, J. E. Ridge, E. S. Lashen* 9
Abrasive blast cleaning—A vital foundation for coating cost and success, *D. Hansel* 15
Corrosion and economics of electroless nickel coatings in chemical process environments, *R. P. Tracy, J. Colaruotolo, A. Misercola, B. R. Chube* 21
Localized corrosion of stainless steels and nickel alloys in flue gas desulfurization environments, *B. S. Phull, T. S. Lee* 30
Hot-dip coated sheet steels—A review, *H. E. Townsend, L. Allegra, R. J. Dutton, J. A. Kriner* 36
Real-time electronic monitoring of a pitted and leaking gas gathering pipeline, *R. G. Asperger, P. G. Hewitt* 47
Discussion—Materials for outlet ducts in wet FGD systems, *A. L. Hendricks* 58
Corrosion Basics 65

SEPTEMBER

Editorial: Accentuate the positive, *L. C. Rowe* 7
Cathodic protection criteria—A critical review of NACE Standard RP-01-69, *R. A. Gummow* 9
Erratum 16
Alternatives to copper grounding in sites requiring cathodic protection, *E. L. Kirkpatrick* 17
Laboratory evaluation of in-ground cathodic disbondment of pipeline coatings, *J. D. Kellner* 20
Designing cathodic protection systems using electronic spreadsheets, *K. W. Nicholas* 25
Development of composite for underground gasohol storage tanks, *L. J. Craigie, M. J. Svatek, M. N. White* 34
The resistance of high frequency inductive welded pipe to grooving corrosion in salt water, *C. Duren, E. Treiss, G. Herbsleb* 41
Corrosion causes safety hazard through oxygen depletion of air in closed steel equipment, *P. R. Handt* 49
Corrosion Basics 63

OCTOBER

Editorial: The will to learn, *L. C. Rowe* 7
Case histories of deaerator failure analysis, *R. J. Franco, G. M. Buchheim* 9
Stress corrosion cracking of C-Mn steels in environments containing carbon dioxide, *R. N. Parkins, A. Alexandridou, P. Majumdar* 20
Stress corrosion cracking and hydrogen embrittlement of high-strength nonmagnetic alloys in brines, *J. G. Erlings, H. W. deGroot, J. F. M. vanRoy* 28
Erratum 34
Database management and your maintenance painting program, *T. M. Smith* 35
The chemical control of cobalt leaching from cemented carbide tooling, *E. Mosher, L. Peterson, R. Skold* 38
Selection of inhibitors and treating methods for deep hot gas wells, *J. A. Dougherty, E. C. French* 44
High temperature internal corrosion of an acetone plant furnace outlet tube: Failure analysis and laboratory simulation, *Z. A. Foroulis, R. J. Franco* 51
Corrosion Basics 79

NOVEMBER

Editorial: Make the dictionary a best seller, *L. C. Rowe* 7
On-line monitoring of flue gas desulfurization scrubber corrosion with electrochemical techniques, *W. M. Cox, B. S. Phull, B. A. Wrobel, B. C. Syrett* 9
The use of AC impedance to determine the corrosion rate of electrogalvanized steel, *M. Dattilo* 18
The use of computers in corrosion control and monitoring, *M. Haroun, R. Erbar, R. Heidersbach* 23
An electrochemical sensor for monitoring automotive coolant, *G. Haynes, E. Gonsalves, R. Baboian* 28
Microcomputer corrosion analysis for structures in inhomogeneous electrolytes, *R. S. Munn* 33
Applications of EPRI database on environmentally assisted cracking in the nuclear industry, *R. Rungta, H. Mindlin, J. D. Gilman* 43
Erratum 52
Effect of cathodic protection on the activity of microbial biofilms, *S. Maxwell* 53
Corrosion Basics 59

DECEMBER

Editorial: How well will we be remembered, *L. C. Rowe* 7
A laboratory evaluation technique for predicting the behavior of organic coatings in FGD systems, *M. L. White, H. Leidheiser, Jr., G. H. Koch* 9
State-of-the-art application technology and the impact on painting costs, *M. J. Miller* 13
A review of stress corrosion cracking of steel in liquefied ammonia service, *A. W. Loginow* 18
Effect of heat treatment on the corrosion resistance of high alloy stainless steel and nickel-base alloys, *P. B. Lindsay* 23
Review of welding practice for carbon steel deaerator vessels, *T. G. Gooch, P. H. M. Hart* 30
Diffusion of dissolved oxygen through concrete, *O. E. Gjorv, O. Vennesland, A. H. S. El-Busaidy* 39
The Canadian Beaufort: A corrosive extreme, *D. G. Lingnau* 45
Corrosion Basics 59

MP Annual Index, Vol. 25, 1986

(Issue No. is followed by page no.)

A

ABRASION
control of CO leaching from carbide tool: 10, 38
corrosion-free airplane evolution: 3, 57
metal failures in flue gas desulfurizers: 3, 15
molybdate inhib. for coal slurry pipeline: 6, 45
superheater chemical cleaning study: 4, 25
abrasive blast cleaning merits and costs: 8, 15
Statue of Liberty-Restoration—Part 5: 6, 80

ABSORBERS
SCC of C + Mn steels in carbon dioxide: 10, 20
concentrated H_2SO_4 vs carbon steel tanks: 7, 48

ACCELERATED LAB TESTING
AC impedance tests of electrogalvanized: 11, 18
cathodic disbondment of pipeline coating: 9, 20
glass fiber polymer tanks for gasohols: 9, 34
inhibition of deep, hot natural gas well: 10, 44
pipe inductive weld grooving in salt water: 9, 41
predicting coatings behavior vs FGD system: 12, 9
review, SCC of steel in liquid ammonia: 12, 18
temporary petroleum-base rust controls: 5, 26
zinc galvanic anode reactions at hi temp.: 4, 31

ACETONE
hi temp. carburiztion of C steel vs acet.: 10, 51

ACID SURFACE PREPARATION
superheater chemical cleaning study: 4, 25

ACIDS
heat treatment of stainless, Ni-base alloy: 12, 23
chemical Ni plating in process environment: 8, 21
CO_2 attack prediction in new field: 3, 41

ACOUSTICAL NONDESTRUCTIVE TESTING
polymer laminates: 2, 9
SCC of steel in liquid ammonia: 12, 18

ACRYLICS
glass fiber polymer tanks for gasohols: 9, 34

ADHESION
hot metal dipped steel sheets properties: 8, 36
microbiological attacks on copper in H_2O: 2, 37
scale inh. for desalination evaporator: 6, 38
predicting coatings behavior vs FGD system: 12, 9

ADSORPTION
instantaneous monitoring of gas lines: 8, 47

AERATION
metal failures in flue gas desulfurizers: 3, 15
Ti, Cr-Ni, Ni-Cr alloys vs combustion ga.: 4, 35

AEROBIC
cathodic protection vs microbial films: 11, 53
microbe induced solids in seawater flood: 7, 39

AGING
cleaning steel of chlorides and sulfates: 7, 53
HEDTA solutions to remove iron oxides: 4, 18

AGRICULTURAL CHEMICALS
SCC of steel in liquid ammonia: 12, 18

AIR, CAUSES
cathodic disbondment of pipeline coating: 9, 20
SCC of steel in liquid ammonia: 12, 18

AIRCRAFT TRANSPORTATION
corrosion-free airplane evolution: 3, 57

ALCOHOLS
glass fiber polymer tanks for gasohols: 9, 34
zirconium vs sulfuric acid: 2, 15

ALKALINE, AQUEOUS
biocide tests on cooling water microbes: 8, 9
elastomer seals vs oilwell inhibitors: 5, 40
scale inh. for desalination evaporator: 6, 38

ALKALIS AND SALTS
soil reinforcing with metal straps: 5, 55

ALLOYING PREVENTION AND CONTROL
basics—dealloying of Cu-Zn alloys: 11, 59
EPRI computer database on nuclear cracking: 11, 43
heat treatment of stainless, Ni-base, alloy: 12, 23
hi nickel alloys in pero. ref., chem. envir.: 7, 27
hot metal dipped steel sheets properties: 8, 36
hydrogen vs C + 0.5 Mo pipes in ammonia: 7, 34
Kraft process equipment rate monitoring: 6, 18
pipe inductive weld grooving in salt water: 9, 41
review, welding carbon steel deaerator V: 12, 30
silicon in iron, infl. vs sulfuric acid: 1, 37
sulfur, Cl vs electric power equipment: 2, 33
zinc galvanic anode reactions at hi temp.: 4, 31

ALTERNATING CURRENT
AC impedance tests of electrogalvanized: 11, 18
AC current vs cath. protected pipelines: 1, 55

ALUMINA REFRACTORIES
control of Co leaching from carbide tool: 10, 38

predicting coatings behvaior vs FGD system: 12, 9

ALUMINUM
AC current vs cath. protected pipelines: 1, 55
control of Co leaching from carbide tool: 10, 38
corrosion-free airplane evolution: 3, 57
electrochemical monitor for auto coolant: 11, 28
silicate inhibitors for water systems: 5, 19
soil reinforcing with metal straps: 5, 55
zinc galvanic anode reactions at hi temp.: 4, 31
review, SCC of steel in liquid ammonia: 12, 18
hi temp. carburization of C steel vs acet.: 10, 51
hot metal dipped steel sheets properties: 8, 36

AMIDE INHIBITORS
SCC of steel in liquid ammonia: 12, 18

AMMONIA, CAUSES
deaerator failure analysis case histories: 10, 9
HEDTA solutions to remove iron oxides: 4, 18
hydrogen vs C+0.5 Mo pipes in ammonia: 7, 34
review, SCC of steel in liquid ammonia: 12, 18

AMMONIUM CARBONATE
SCC of C + Mn steels in carbon dioxide: 10, 20

AMMONIUM SALTS
AC impedance tests of electrogalvanized: 11, 18

ANAEROBIC MICROORGANISMS
cathodic protection vs microbial films: 11, 53
erratum, cathodic prot. of petro. well cas.: 7, 37

ANCHOR PATTERNS, SURFACE PREPARATION
abrasive blast cleaning merits and costs: 8, 15

ANNEALING, HEAT TREATMENT
heat treatment of stainless, Ni-base alloy: 12, 23
SCC of mill-annealed in 600 in steam gen.: 1, 49

ANODES
copper grounding alternatives re. cath. pr.: 9, 17
computers for control and monitoring: 11, 23
control of Co leaching from carbide tool: 10, 38
review, SCC of steel in liquid ammonia: 12, 18
organic inhibitors in cooling water: 5, 32
SCC of C + Mn steels in carbon dioxide: 10, 20

ANTIFREEZE SOLUTIONS
electrochemical monitor for auto coolant: 11, 28

ANTIMONY
AC current vs cath. protected pipelines: 1, 55
basics—dealloying of Cu-Zn alloys: 11, 59

AQUEOUS ENVIRONMENTS
CO_2 attack prediction in new field: 3, 41
petroleum refinery desalter controls: 7, 9
sulfur, Cl vs electric power equipment: 2, 33

ARCTIC SEA WATER ENV.
icebreaker prot. against Arctic seawater: 12, 45

AREA EFFECT, GALVANIC CELLS
AC current vs cath. protected pipelines: 1, 55
magnitude of galvanic effects: 3, 72

ARSENATES, CAUSES
SCC of C + Mn steels in carbon dioxide: 10, 20

ARSENIC
basics—dealloying of Cu-Zn alloys: 11, 59

ARSENITES, BASES AND SALTS
SCC of C + Mn steels in carbon dioxide: 10, 20

ARTIFACTS
copper corrosion—Statue of Liberty—Part 4: 5, 80
restoring Lady Liberty—An update: 1, 83
Statue of Liberty Corrosion—Part 3: 4, 74
Statue of Liberty corrosion problems: 3, 80
Statue of Liberty—Restoration—Part 5: 6, 80

ASHES
Ti, Cr-Ni, Ni-Cr alloys vs combustion gas: 4, 35

ATMOSPHERIC
chemical Ni plating in process environment: 8, 21
cleaning steel of chlorides and sulfates: 7, 53
restoring Lady Liberty—An update: 1, 83

AUTOCLAVE TESTING
inhibition of deep, hot natural gas well: 10, 44
SCC of mill-annealed in 600 in steam gen.: 1, 49

AUTOMOTIVE
electrochemical monitor for auto coolant: 11, 28
review—inhibition with molybdates: 5, 9
silicate inhibitors for water systems: 5, 19

hot metal dipped steel sheets properties: 8, 36

B

BACTERICIDES, BIOSTATS, FUNGICIDES
microbe induced solids in seawater flood: 7, 39

BASES AND SALTS
chlorinated hydrocarbon incinerator boil: 3, 9

BATCH INJECTION, WELL INHIBITORS
economical continuous inhib. gas tubulars: 6, 27
inhibition of deep, hot natural gas well: 10, 44

BENZOIC ACIDS
chemical Ni plating in process environment: 8, 21

BERYLLIUM
zirconium vs sulfuric acid: 2, 15

BIOCIDAL USES, COATINGS
corrosion-free airplane evolution: 3, 57

BIOCIDES, CAUSES
biocide tests on cooling water microbes: 8, 9
control of Co leaching from carbide tool: 10, 38
low nitrite inhibitors in cooling water: 5, 45

BIOLOGICAL
biocide tests on cooling water microbes: 8, 9
biological attack in hi-temp. hi-purity water: 6, 51
control of Co leaching from carbide tool: 10, 38
corrosion basics—crevice and poultice: 9, 63
corrosion-free airplane evolution: 3, 57
erratum—biol. cor. in hi-temp., pure water: 9, 16
erratum, cathodic prot. of petro. well cas.: 7, 37
microbiological attacks on copper in H_2O: 2, 37
cathodic protection vs microbial films: 11, 53
critical review—RP-01-69 on cath. protec.: 9, 9
low nitrite inhibitors in cooling water: 5, 45
oxygen diffusion through hydraul. concrete: 12, 39
review—inhibition with molybdates: 5, 9
silicate inhibitors for water systems: 5, 19

BLISTERING
hydrogen vs C+0.5 Mo pipes in ammonia: 7, 34
predicting coatings behavior vs FGD system: 12, 9

BOILERS
deaerator failure analysis case histories: 10, 9
chlorinated hydrocarbon incinerator boil.: 3, 9
computers for control and monitoring: 11, 23
HEDTA solutions to remove iron oxides: 4, 18
steam generator galvanic attack in clean: 3, 33
superheater design vs caustic cracking: 4, 13

BOLTS
chemical Ni plating in process environment: 8, 21
cupronickel SCC, H embrittlement in brine: 10, 28
metal failures in flue gas desulfurizers: 3, 15
Statue of Liberty Corrosion—Part 3: 4, 74
sulfur, Cl vs electric power equipment: 2, 33

BONDING
copper grounding alternatives re. cath. pr.: 9, 17

BRASS
AC current vs cath. protected pipelines: 1, 55
basics—dealloying of Cu-Zn alloys: 11, 59
control of Co leaching from carbide tool: 10, 38
electrochemical monitor for auto coolant: 11, 28
silicate inhibitors for water systems: 5, 19

BRAZING
hot metal dipped steel sheets properties: 8, 36

BRICK
brittle fracture brick lined pres. vessel: 3, 24

BRITISH STANDARDS
critical review—RP-01-69 on cath. protec.: 9, 9

BURNERS
concentrated H_2SO_4 vs carbon steel tanks: 7, 48
metal failures in flue gas desulfurizers: 3, 15

BUTYL ALCOHOLS
glass fiber polymer tanks for gasohols: 9, 34

C

CABLE, NONELECTRICAL
computers for control and monitoring: 11, 23

CALCIUM CARBONATE
CO_2 attack prediction in new field: 3, 41
deaerator failure analysis case histories: 10, 9
silicate inhibitors for water systems: 5, 19

CALCIUM
combustion gas duct materials performance: 2, 41
metal failures in flue gas desulfurizers: 3, 15
predicting coatings behavior vs FGD system: 12, 9

CALCULATIONS
AC impedance tests of electrogalvanized: 11, 18
concentrated H_2SO_4 vs carbon steel tanks: 7, 48
economical continuous inhib. gas tubulars: 6, 27
inhibition of deep, hot natural gas well: 10, 44
instantaneous monitoring of gas lines: 8, 47
polymer laminates—acoustic tests vs stress: 2, 9
telluric currents vs pipelines in Nz: 3, 27
O_2 depletion hazard in closed steel tank: 9, 49

CALIPERS, NON-DEST. TESTING
inhibition of deep, hot natural gas well: 10, 44

CAPACITANCE TESTS, ELECTRICAL
AC impedance tests of electrogalvanized: 11, 18

CARBIDES, METAL STRUCTURE
hi nickel alloys in pero. ref., chem. envir.: 7, 27
SCC of mill-annealed in 600 in steam gen.: 1, 49

CARBON
biological attack in hi-temp. hi-purity water: 6, 51

CARBON DIOXIDE
CO_2 attack prediction in new field: 3, 41
cupronickel SCC, H embrittlement in brine: 10, 28
inhibition of deep, hot natural gas well: 10, 44
instantaneous monitoring of gas lines: 8, 47
pipe inductive weld grooving in salt water: 9, 41
review, SCC of steel in liquid ammonia: 12, 18
SCC of C + Mn steels in carbon dioxide: 10, 20
SCC of carbon steels in amine service: 7, 18
13 Cr clad oilwell tubing performance: 6, 48

CARBON STEEL WROUGHT
AC current vs cath. protected pipelines: 1, 55
AC impedance tests of electrogalvanized: 11, 18
brittle fracture brick lined pres. vessel: 3, 24
cathodic protection vs microbial films: 11, 53
chemical Ni plating in process environment: 8, 21
chlorinated hydrocarbon incinerator boil.: 3, 9
cleaning steel of chlorides and sulfates: 7, 53
combustion gas duct materials performance: 2, 41
concentrated H_2SO_4 vs carbon steel tanks: 7, 48
critical review—RP-01-69 on cath. protec.: 9, 9
cupronickel SCC, H embrittlement in brine: 10, 28
electrochemical monitor for auto coolant: 11, 28
heat treatment of stainless, Ni-base alloy: 12, 23
hi temp. carburization of C steel vs acetone: 10, 51
hydrogen vs C+0.5 Mo pipes in ammonia: 7, 34
H_2S gas attack vs materials failures: 1, 9
icebreaker prot. against Arctic seawater: 12, 45
Kraft process equipment rate monitoring: 6, 18
metal failures in flue gas desulfurizers: 3, 15
microbe induced solids in seawater flood: 7, 39
molybdate inhib. for coal slurry pipeline: 6, 45
organic inhibitors in cooling water: 5, 32
oxygen diffusion through hydraul. concrete: 12, 39
pipe inductive weld grooving in salt water: 9, 41
predicting coatings behavior vs FGD system: 12, 9
review, welding carbon steel deaerator V: 12, 30
soil reinforcing with metal straps: 5, 55

CARBONATES BASES AND SALTS
CO_2 attack prediction in new field: 3, 41
scale inh. for desalination evaporator: 6, 38
SCC of C + Mn steels in carbon dioxide: 10, 20

low nitrite inhibitors in cooling water: 5, 45
steel in concrete vs seawater—go year: 2, 18

CARBURIZING
hi nickel alloys in petro. ref., chem. envir.: 7, 27
hi temp carburization of C steel vs acetone: 10, 51
hydrogen vs C + 0.5 Mo pipes in ammonia: 7, 34

CARPENTER 20-Cb3
Ni-Cr-Mo + Or-Nb,W, Co vs sulfuric acid: 2, 27

CARTRIDGE POWERED ELECTROSTATIC AIR SPRAY
coatings applic. equipment infl. on costs: 12, 13

CASING, WELL
casing cathodic protection—20-yr review: 1, 23
erratum, cathodic prot. of petro. well casing: 7, 37
gas storage well casing cathodic protect.: 1, 17

CAST IRON
electrochemical monitor for auto coolant: 11, 28
icebreaker prot. against Arctic seawater: 12, 45
silicon in iron, infl. vs sulfuric acid: 1, 37

CATALYSIS
hydrogen vs C + 0.5 Mo pipes in ammonia: 7, 34
scale inh. for desalination evaporator: 6, 38

CATALYTIC, EFFECTS
elastomer seals vs oilwell inhibitors: 5, 40
hi temp. carburization of C steel vs acetone: 10, 51

CATHODIC ELECTRODE PHENOMENA
cathodic disbondment of pipeline coating: 9, 20
organic inhibitors in cooling water: 5, 32
O_2 depletion hazard in closed steel tank: 9, 49

CATHODIC INHIBITORS
organic inhibitors in cooling water: 5, 32

CATHODIC PROTECTION
casing cathodic protection—20-yr review: 1, 23
cathodic disbondment of pipeline coating: 9, 20
cathodic protection vs microbial films: 11, 53
computerized CP system for offshore plat.: 4, 46
computers for control and monitoring: 11, 23
copper grounding alternatives re. cath. pr.: 9, 17
critical review—RP-01-69 on cath. protec.: 9, 9
cupronickel SCC, H embrittlement in brine: 10, 28
electronic spreadsheet cath. prot. design: 9, 25
erratum, cathodic prot. of petro. well casing: 7, 37
gas storage well casing cathodic protect.: 1, 17
photoelectric CP system for gas piping: 4, 43
SCC of C + Mn steels in carbon dioxide: 10, 20
telluric currents vs pipelines in Nz: 3, 27
zinc galvanic anode reactions at hi temp.: 4, 31

CHELANTS
control of Co leaching from carbide tool: 10, 38
HEDTA solutions to remove iron oxides: 4, 18
microbiological attacks on copper in H_2O: 2, 37

CHEMICAL ACCEL. LAB TESTIING
AC impedance tests of electrogalvanized: 11, 18
inhibitor residual concentration tests: 5, 51

CHEMICAL INDUSTRIES
chemical Ni plating in process environment: 8, 21
SCC of C + Mn steels in carbon dioxide: 10, 20

CHEMICAL OR ELECTROCHEMICAL LAB TESTING
heat treatment of stainless, Ni-base alloy: 12, 23
Ni-Cr-Mo + Or-Nb,W, Co vs sulfuric acid: 2, 27
oxygen diffusion through hydraul. concrete: 12, 39
silicon in iron, infl. vs sulfuric acid: 1, 37

CHEMICAL SURFACE PREPARATION
cleaning steel of chlorides and sulfates: 7, 53
steam generator galvanic attack in clean: 3, 33
superheater chemical cleaning study: 4, 25

CLEANING, PREVENTION AND CONTROL
instantaneous monitoring of gas lines: 8, 47
microbe induced solids in seawater flood: 7, 39
steam generator galvanic attack in clean: 3, 33
sulfur, Cl vs electric power equipment: 2, 33

COAL GAS, OTHER, PRODUCTION
SCC of C + Mn steels in carbon dioxide: 10, 20

COAL, ENERGY SOURCES
combustion gas duct materials performance: 2, 41
metal failures in flue gas desulfurizers: 3, 15
molybdate inhib. for coal slurry pipeline: 6, 45
superheater chemical cleaning study: 4, 25

COAL, GASES
combustion gas duct materials performance: 2, 41
metal failures in flue gas desulfurizers: 3, 15

COATINGS
casing cathodic protection—20-yr review: 1, 23
cathodic disbondment of pipeline coating: 9, 20
corrosion-free airplane evolution: 3, 57
errata, Ni alloys in petroleum refinery: 10, 34
Statue of Liberty corrosion problems: 3, 80
icebreaker prot. against Arctic seawater: 12, 45
inhibition with molybdates: 5, 9
restoring Lady Liberty—An update: 1, 83
coatings applic. equipment infl. on costs: 12, 13

COBALT
control of Co leaching from carbide tool: 10, 38
cupronickel SCC, H embrittlement in brine: 10, 28

COLD WORK, EFFECTS
basics, intergranular corrosion: 12, 103
cupronickel SCC, H embrittlement in brine: 10, 28
SCC of carbon steels in amine service: 7, 18
SCC of mill-annealed in 600 in steam gen.: 1, 49

COLORIMETRIC OPTICAL INSTRUMENTATION TESTING
instantaneous monitoring of gas lines: 8, 47

COMBUSTION GASES
chlorinated hydrocarbon incinerator boil: 3, 9
combustion gas duct materials performance: 2, 41
disc, outlet ducts for FGD systems: 8, 58
electrochemical tests for flue gas corro.: 11, 9
metal failures in flue gas desulfurizers: 3, 15
predicting coatings behavior vs FGD system: 12, 9
stainless, Ni alloys vs sulf. in flue gas: 8, 30
Ti, Cr-Ni, Ni-Cr alloys vs combustion gas: 4, 35

COMPUTERS
computer anal. inhomogeneous electrolytes: 11, 33
computerized CP system for offshore plat.: 4, 46
computers for control and monitoring: 11, 23
CO_2 attack prediction in new field: 3, 41
electronic spreadsheet cath. prot. design: 9, 25
EPRI computer database on nuclear cracking: 11, 43
errata, Ni alloys in petroleum refinery: 10, 34
gas storage well casing cathodic protect.: 1, 17

CONCENTRATION CELLS
biological attack in hi-temp. hi-purity water: 6, 51
computers for control and monitoring: 11, 23
corrosion basics—crevice and poultice: 9, 63
corrosion-free airplane evolution: 3, 57
fundamentals—oxygen concentration cell: 4, 57
metal ion concentration cells—fundamental: 5, 65
microbiological attacks on copper in H_2O: 2, 37

CONCENTRATION OF CHEMICALS
CO_2 attack prediction in new field: 3, 41
electrochemical tests for slue gas corro.: 11, 9
icebreaker prot. against Arctic seawater: 12, 45
biocide tests on cooling water microbes: 8, 9
concentrated H_2SO_4 vs carbon steel tanks: 7, 48

CONCRETE
combustion gas duct materials performance: 2, 41
disc, outlet ducts for FGD systems: 8, 58

CONDENSATE, AQUEOUS
combustion gas duct materials performance: 2, 41

CONDENSATION
CO_2 attack prediction in new field: 3, 41
Statue of Liberty Corrosion—Part 3: 4, 74
instantaneous monitoring of gas lines: 8, 47
review, SCC of steel in liquid ammonia: 12, 18

CONDUCTANCE TESTS, AC
predicting coatings behavior vs FGD system: 12, 9

CONDUCTIVE POLYMERIC ANODES
AC current vs cath. protected pipelines: 1, 55

CONDUCTIVITY, ELECTRICAL
computer anal. inhomogeneous electrolytes: 11, 33
petroleum refinery desalter controls: 7, 9

CONSTANT LOAD TENSILE TESTS
SCC of carbon steels in amine service: 7, 18

CONTAMINATION, ENVIRONMENTAL EFFECTS
copper corrosion—Statue of Liberty—Part 4: 5, 80
review, SCC of steel in liquid ammonia: 12, 18
Statue of Liberty Corrosion—Part 3: 4, 74
sulfur, Cl vs electric power equipment: 2, 33

CONTINUOUS INJECTION, INHIBITORS
economical continuous inhib. gas tubulars: 6, 27
inhibition of deep, hot natural gas well: 10, 44

COOLING AQUEOUS ENVIRONMENTS
biocide tests on cooling water microbes: 8, 9
low nitrite inhibitors in cooling water: 5, 45
organic inhibitors in cooling water: 5, 32

COOLING SYSTEMS
computers for control and monitoring: 11, 23
control of Co leaching from carbide tool: 10, 38
low nitrite inhibitors in cooling water: 5, 45
organic inhibitors in cooling water: 5, 32

COOLING WATER INHIBITORS
organic inhibitors in cooling water: 5, 32
review—inhibition with molybdates: 5, 9

COPPER
AC current vs cath. protected pipelines: 1, 55
basics—dealloying of Cu-Zn alloys: 11, 59
copper corrosion—Statue of Liberty—Part 4: 5, 80
copper grounding alternatives re. cath. pr.: 9, 17
HEDTA solutions to remove iron oxides: 4, 18
microbiological attacks on copper in H_2O: 2, 37
restoring Lady Liberty—An update: 1, 83
silicate inhibitors for water systems: 5, 19
Statue of Liberty corrosion—Part 3: 4, 74
Statue of Liberty corrosion problems: 3, 80
zirconium vs sulfuric acid up to 80 perc.: 2, 15

CORROSION ALLOWANCE
chemical Ni plating in process environment: 8, 21
concentrated H_2SO_4 vs carbon steel tanks: 7, 48
copper corrosion—Statue of Liberty—Part 4: 5, 80
CO_2 attack prediction in new field: 3, 41
icebreaker prot. against Arctic seawater: 12, 45
metal failures in flue gas desulfurizers: 3, 15
molybdate inhib. for coal slurry pipeline: 6, 45
superheater chemical cleaning study: 4, 25

CORROSION PRODUCTS
biological attack in hi-temp. hi-purity water: 6, 51
copper corrosion—Statue of Liberty—Part 4: 5, 80
CO_2 attack prediction in new field: 3, 41
electrochemical monitor for auto coolant: 11, 28
inhibition of deep, hot natural gas well: 10, 44
instantaneous monitoring of gas lines: 8, 47
microbe induced solids in seawater flood: 7, 39
O_2 depletion hazard in closed steel tank: 9, 49

CRACKING, LOCALIZED
biological attack in hi-temp. hi-purity water: 6, 51
brittle fracture brick lined pres. vessel: 3, 24
deaerator failure analysis case histories: 10, 9
EPRI computer database on nuclear cracking: 11, 43
H_2S pressure vs sulfide cracking: 1, 44
metal failures in flue gas desulfurizers: 3, 15
steel in concrete vs seawater—go year: 2, 18
sulfur, Cl vs electric power equipment: 2, 33
test for SCC threshold stress parameters: 6, 9

CREVICES
corrosion basics—crevice and poultice: 9, 63
heat treatment of stainless, Ni-base alloy: 12, 23
stainless, Ni alloys vs sulf in flue gas: 8, 30
Ti, Cr-Ni, Ni-Cr alloys vs combustion gas: 4, 35

CURING, POLYMERIC MATERIALS
glass fiber polymer tanks for gasohols: 9, 34

CURRENT DENSITY, ON-SITE TESTING
computers for control and monitoring: 11, 23
gas storage well casing cathodic protect.: 1, 17

CYANIDES, BASES AND SALTS, CAUSES
chemical Ni plating in process environment: 8, 21

CYCLIC PHENOMENA
electrochemical tests for slue gas corro.: 11, 9
EPRI computer database on nuclear cracking: 11, 43
review, welding carbon steel deaerator V: 12, 30
deaerator failure analysis case histories: 10, 9
test for SCC threshold stress parameters: 6, 9

D

DATA CORRELATION, CALCULATIONS
chlorinated hydrocarbon incinerator boil.: 3, 9
computers for control and monitoring: 11, 23
inhibition of deep, hot natural gas well: 10, 44
predicting coatings behavior vs FGD system: 12, 9

DEAERATION, DEAERATORS
AC impedance tests of electrogalvanized: 11, 18
microbe induced solids in seawater flood: 7, 39
review, SCC of steel in liquid ammonia: 12, 18
deaerator failure analysis case histories: 10, 9
review, welding carbon steel dearator: 12, 30

DEALLOYING
dealloying, fundamentals—nomenclature: 10, 79

DEEP WELL GROUND BEDS
casing cathodic protection: 1, 23
erratum, cathodic prot. of petro. well casing: 7, 37

DEFECTS
EPRI computer database on nuclear cracking: 11, 43

DEHYDRATION
instantaneous monitoring of gas lines: 8, 47

DELAMINATION
polymer laminates—acoustic tests vs stress: 2, 9

DENSITY
glass fiber polymer tanks for gasohols: 9, 34

DESALINATION, WATER
biocide tests on cooling water microbes: 8, 9
icebreaker prot. against Arctic seawater: 12, 45
scale inh. for desalination evaporator: 6, 38

DESIGN
brittle fracture brick lined pres. vessel: 3, 24
casing cathodic protection—20-yr review: 1, 23
computerized CP system for offshore plat.: 4, 45
computers for control and monitoring: 11, 23
copper grounding alternatives re. cath. pr.: 9, 17
deaerator failure analysis case histories: 10, 9
electronic spreadsheet cath. prot. design: 9, 25
EPRI computer database on nuclear cracking: 11, 43
errata, Ni alloys in petroleum refinery: 10, 34
gas storage well casing cathodic protect.: 1, 17
icebreaker prot. against Arctic seawater: 12, 45
petroleum refinery desalter controls: 7, 9
photoelectric CP system for gas piping: 4, 43
review, SCC of steel in liquid ammonia: 12, 18
review, welding carbon steel deaerator: 12, 30
superheater design vs caustic cracking: 4, 13

DESULFURIZERS, FILTERS
combustion gas duct materials performance: 2, 41
disc, outlet ducts for FGD systems: 8, 58
electrochemical tests for slue gas corro.: 11, 9
metal failures in flue gas desulfurizers: 3, 15

DETERGENTS INDUSTRIES
silicate inhibitors for water systems: 5, 19

DEW POINT
electrochemical tests for slue gas corro.: 11, 9
instantaneous monitoring of gas lines: 8, 47
superheater design vs caustic cracking: 4, 13

DIAGRAMS
computer anal. inhomogeneous electrolytes: 11, 33
polymer laminates—acoustic tests vs stress: 2, 9

DIFFUSION
glass fiber polymer tanks for gasohols: 9, 34
concentrated H_2SO_4 vs carbon steel tanks: 7, 48
oxygen diffusion through hydraul. concrete: 12, 39

DIRECT CURRENT
AC impedance tests of electrogalvanized: 11, 18
AC current vs cath. protected pipelines: 1, 55

DISBONDING
combustion gas duct materials performance: 2, 41
SCC of C + Mn steels in carbon dioxide: 10, 20
cathodic diabondment of pipeline coating: 9, 20

DOCKS, INDUSTRIAL CONSTRUCTION
steel in concrete vs seawater: 2, 18

DRILLING FLUID
cupronickel SCC, H embrittlement in brine: 10, 28
petroleum refinery desalter controls: 7, 9

DRINKING WATER
chlorinated hydrocarbon incinerator boil: 3, 9

DUPLEX STAINLESS STEELS
combustion gas duct materials performance: 2, 41
heat treatment of stainless, Ni-base alloy: 12, 23
H_2S gas attack vs materials failures: 1, 9
Statue of Liberty—Restoration—Part 5: 6, 60

E

EDGE EFFECTS
cupronickel SCC, H embrittlement in brine: 10, 28
stainless, Ni alloys vs sulf. in flue gas: 8, 30

ELASTOMERIC COATINGS/MATERIALS
corrosion-free airplane evolution: 3, 57
elastomer seals vs oilwell inhibitors: 5, 40

ELECTRICAL
petroleum refinery desalter controls: 7, 9
Statue of Liberty Corrosion—Part 3: 4, 74
Statue of Liberty—Restoration—Part 5: 6, 60
copper grounding alternatives re. cath. pr : 9, 17
combustion gas duct materials performance: 2, 41
Kraft process equipment rate monitoring: 6, 18
sulfur, Cl vs electric power equipment: 2, 33
superheater chemical cleaning study: 4, 25

ELECTROCHEMICAL NOISE
electrochemical tests for slue gas corro.: 11, 9

ELECTROCHEMICAL TESTING
electrochemical tests for slue gas corro.: 11, 9

ELECTRODES, EQUIPMENT
copper grounding alternatives re. cath. pr.: 9, 17
hi nickel alloys in pero. ref., chem. envir.: 7, 27
pure Ni and Cr-Fe alloys vs sodium hydro.: 4, 9
welding carbon steel deaerator: 12, 30

ELECTROMAGNETIC CAUSES
telluric currents vs pipelines in Nz: 3, 27

ELECTRON MICROSCOPE
biological attack in hi-temp. hi-purity water: 6, 51
deaerator failure analysis case histories: 10, 9
erratum—biol. cor. in hi-temp., pure water: 9, 16
hi temp. carburization of C steel vs acetone: 10, 51
hot metal dipped steel sheets properties: 8, 36
metal failures in flue gas desulfurizers: 3, 15
SCC of C + Mn steels in carbon dioxide: 10, 20

ELECTRONIC INSTRUMENTS
automated inhibition of gas-lift wells: 1, 33
computers for control and monitoring: 11, 23

ELECTRONIC PROPERTIES
control of Co leaching from carbide tool: 10, 38

ELECTROPHORETIC APPLICATION, NONMETALLIC COATINGS
AC impedance tests of electrogalvanized: 11, 18

ELECTROSTATIC APPLICATION, NONMETALLIC COATINGS
coatings applic. equipment infl. on costs: 12, 13

EMBRITTLEMENT
hi nickel alloys in pero. ref., chem. envir.: 7, 27

EMF-pH DIAGRAMS
computer anal. inhomogeneous electrolytes: 11, 33

ENVIRONMENTS
AC impedance tests of electrogalvanized: 11, 18
cleaning steel of chlorides and sulfates: 7, 53
corrosion-free airplane evolution: 3, 57
errata, Ni alloys in petroleum refinery: 10, 34

EPOXIES
casing cathodic protection—20-yr review: 1, 23
Statue of Liberty—Restoration—Part 5: 6, 60
combustion gas duct materials performance: 2, 41
metal failures in flue gas desulfurizers: 3, 15
predicting coatings behavior vs FGD system: 12, 9

EQUIPMENT
abrasive blast cleaning merits and costs: 8, 15

ETHANOLAMINE ENVIRONMENTS
SCC of C + Mn steels in carbon dioxide: 10, 20

ETHYLENE GLYCOL, CAUSES
instantaneous monitoring of gas lines: 8, 47

ETHYLENE-DIAMINE-TETRAACETIC ACID
HEDTA solutions to remove iron oxides: 4, 18
steam generator galvanic attack in clean: 3, 33
superheater chemical cleaning study: 4, 25

EUROPE, GEOGRAPHICAL
steel in concrete vs seawater: 2, 18

EVAPORATION
electrochemical tests for slue gas corro.: 11, 9
low nitrite inhibitors in cooling water: 5, 45
chemical Ni plating in process environment: 8, 21
scale inh. for desalination evaporator: 6, 38
O_2 depletion hazard in closed steel tank: 9, 49

EXFOLIATION
corrosion-free airplane evolution: 3, 57

EXPERT SYSTEMS, COMPUTERS
computer anal. inhomogeneous electrolytes: 11, 33

EXPLOSIVE JOINING
SCC of mill-annealed in 600 in steam gen.: 1, 49

F

FABRICATION
review, welding carbon steel deaerator: 12, 30
Statue of Liberty corrosion problems: 3, 60
polymer laminates—acoustic tests vs stress: 2, 9
temporary petroleum-base rust controls: 5, 26

FABRICATION
review, SCC of steel in liquid ammonia: 12, 18
review, welding carbon steel deaerator: 12, 30
control of Co leaching from carbide tool: 10, 38

FATIGUE STRESSES
corrosion-free airplane evolution: 3, 57
deaerator failure analysis case histories: 10, 9
EPRI computer database on nuclear cracking: 11, 43
metal failures in flue gas desulfurizers: 3, 15
review, welding carbon steel deaearator: 12, 30

FERRIC CHLORIDES
heat treatment of stainless, Ni-base alloy: 12, 23
icebreaker prot. against Arctic seawater: 12, 45

FIBER REINFORCED COATING
combustion gas duct materials performance: 2, 41

FILMING, MATERIALS
biocide tests on cooling water microbes: 8, 9
biological attack in hi-temp. hi-purity water: 6, 51
cathodic protection vs microbial films: 11, 53
chlorinated hydrocarbon incinerator boiler: 3, 9
computers for control and monitoring: 11, 23
concentrated H_2SO_4 vs carbon steel tanks: 7, 48
control of Co leaching from carbide tool: 10, 38
corrosion basics—crevice and poultice: 9, 63
deaerator failure analysis case histories: 10, 9
HEDTA solutions to remove iron oxides: 4, 18
hi temp. carburization of C steel vs acetone: 10, 51
low nitrite inhibitors in cooling water: 5, 45
microbe induced solids in seawater flood: 7, 39
microbiological attacks on copper in H_2O: 2, 37
passivity, protective films—fundamental: 6, 73

scale inh. for desalination evaporator: 6, 38
silicate inhibitors for water systems: 5, 19
silicon in iron, infl. vs sulfuric acid: 1, 37
superheater chemical cleaning study: 4, 25
Ti, Cr-Ni, Ni-Cr alloys vs combustion gas: 4, 35
zirconium vs sulfuric acid up to 80 perc.: 2, 15

FILTERS
chemical Ni plating in process environment: 8, 21

FLUOROCARBONS
combustion gas duct materials performance: 2, 41
elastomer seals vs oilwell inhibitors: 5, 40
Statue of Liberty—Restoration—Part 5: 6, 80
predicting coatings behavior vs FGD system: 12, 9

FOULING
biocide tests on cooling water microbes: 8, 9
cathodic protection vs microbial films: 11, 53
chlorinated hydrocarbon incinerator boil.: 3, 9

FRACTOGRAPHIC TESTS
deaerator failure analysis case histories: 10, 9

FRACTURE
brittle fracture brick lined pres. vessel: 3, 24

FREEZING
steel in concrete vs seawater: 2, 18

FRICTION EFFECTS
icebreaker prot. against Arctic seawater: 12, 45

FUMES
hi temp. carburization of C steel vs acetone: 10, 51
review, SCC of steel in liquid ammonia: 12, 18
zirconium vs sulfuric acid up to 80 perc.: 2, 15

G

GALVANIC CELLS
AC current vs cath. protected pipelines: 1, 55
basics, intergranular corrosion: 12, 103
copper grounding alternatives re. cath. pr.: 9, 17
corrosion-free airplane evolution: 3, 57
CO_2 attack prediction in new field: 3, 41
cupronickel SCC, H embrittlement in brine: 10, 28
magnitude of galvanic effects: 3, 72
restoring Lady Liberty—An update: 1, 83
Statue of Liberty corrosion problems: 3, 80
Statue of Liberty—Restoration—Part 5: 6, 80
steam generator galvanic attack in clean: 3, 33
superheater chemical cleaning study: 4, 25

GALVANIC
computer anal. inhomogeneous electrolytes: 11, 33
electronic spreadsheet cath. prot. design: 9, 25
icebreaker prot. against Arctic seawater: 12, 45
Ti, Cr-Ni, Ni-Cr alloys vs combustion gas: 4, 35

GALVANIZED STEEL
copper grounding alternatives re. cath. pr.: 9, 17

GAS
gas storage well casing cathodic protect: 1, 17
electrochemical tests for slue gas corro.: 11, 9
predicting coatings behavior vs FGD system: 12, 9
stainless, Ni alloys vs sulf. in flue gas: 8, 30
Ti, Cr-Ni, Ni-Cr alloys vs combustion gas: 4, 35
economical continuous inhib. gas tubulars: 6, 27
13 Cr clad oilwell tubing performance: 6, 48
automated inhibition of gas-lift wells: 1, 33
glass fiber polymer tanks for gasohols: 9, 34

GROUNDBEDS
casing cathodic protection—20-yr review: 1, 23
electronic spreadsheet cath. prot. design: 9, 25
erratum, cathodic prot. of petro. well casing: 7, 37
gas storage well casing cathodic protect.: 1, 17

GROUNDS, ELECTRICAL
copper grounding alternatives re. cath. pr.: 9, 17

GUY WIRES, CABLES
automated inhibition of gas-lift wells: 1, 33
H_2S gas attack vs materials failures: 1, 9

H

HALOGENS
chemical Ni plating in process environment: 8, 21
elastomer seals vs oilwell inhibitors: 5, 40

HAND TOOLS, SURFACE PREPARATION
abrasive blast cleaning merits and costs: 8, 15

HARDNESS
cupronickel SCC, H embrittlement in brine: 10, 28
H_2S gas attack vs materials failures: 1, 9
review, SCC of steel in liquid ammonia: 12, 18
review, welding carbon steel deaerator: 12, 30

HASTELLOY
chlorinated hydrocarbon incinerator boil.: 3, 9
chlorinated hydrocarbon incinerator boil.: 3, 9
combustion gas duct materials performance: 2, 41
cupronickel SCC, H embrittlement in brine: 10, 28
metal failures in flue gas desulfurizers: 3, 15
Ni-Cr-Mo + Or-Nb,W, Co vs sulfuric acid: 2, 27
stainless, Ni alloys vs sulf. in flue gas: 8, 30
Ti, Cr-Ni, Ni-Cr alloys vs combustion gas: 4, 35
heat treatment of stainless, Ni-base alloy: 12, 23
stainless, Ni alloys vs sulf. in flue gas: 8, 30

HEAT AFFECTED ZONE
biological attack in hi-temp. hi-purity water: 6, 51
deaerator failure analysis case histories: 10, 9
icebreaker prot. against Arctic seawater: 12, 45
review, SCC of steel in liquid ammonia: 12, 18
review, welding carbon steel deaerator: 12, 30
SCC of carbon steels in amine service: 7, 18
steam generator galvanic attack in clean: 3, 33
superheater chemical cleaning study: 4, 25

HEAT EXCHANGERS
computers for control and monitoring: 11, 23
electrochemical monitor for auto coolant: 11, 28
HEDTA solutions to remove iron oxides: 4, 18
low nitrite inhibitors in cooling water: 5, 45
scale inh. for desalination evaporator: 6, 38
SCC of carbon steels in amine service: 7, 18
SCC of mill-annealed in 600 in steam gen.: 1, 49
silicate inhibitors for water systems: 5, 19
steam generator galvanic attack in clean: 3, 33
superheater design vs caustic cracking: 4, 13

HEAT FLUX
biological attack in hi-temp. hi-purity water: 6, 51

HEAT TREATMENT, PREV. & CONTROL
basics, intergranular corrosion: 12, 103
cupronickel SCC, H embrittlement in brine: 10, 28
heat treatment of stainless, Ni-base alloy: 12, 23
hi nickel alloys in pero. ref., chem. envir.: 7, 27
hot metal dipped steel sheets properties: 8, 36
hydrogen vs C + 0.5 Mo pipes in ammonia: 7, 34
pipe inductive weld grooving in salt water: 9, 41
review, SCC of steel in liquid ammonia: 12, 18
SCC of carbon steels in amine service: 7, 18
SCC of mill-annealed in 600 in steam gen.: 1, 49
zirconium vs sulfuric acid up to 80 perc.: 2, 15

HEATERS, LIQUID
chemical Ni plating in process environment: 8, 21

HEATING
hi nickel alloys in pero. ref., chem. envir.: 7, 27
icebreaker prot. against Arctic seawater: 12, 45
concentrated H_2SO_4 vs carbon steel tanks: 7, 48
inhibition of deep, hot natural gas well: 10, 44
superheater design vs caustic cracking: 4, 13

HIGH PURITY AQUEOUS ENVIRONMENTS
biological attack in hi-temp. hi-purity water: 6, 51
control of Co leaching from carbide tool: 10, 38
erratum—biol. cor. in hi-temp., pure water: 9, 16

HIGH TEMPERATURES
biological attack in hi-temp. hi-purity water: 6, 51
erratum—biol. cor. in hi-temp., pure water: 9, 16
hi nickel alloys in pero. ref., chem. envir.
hot metal dipped steel sheets properties: 8, 36
pure Ni and Cr-Fe alloys vs sodium hydro.: 4, 9
zinc galvanic anode reactions at hi temp.: 4, 31
zirconium vs sulfuric acid up to 80 perc.: 2, 15

HYDROGEN EMBRITTLEMENT
cupronickel SCC, H embrittlement in brine: 10, 28
deaerator failure analysis case histories: 10, 9
hydrogen vs C + 0.5 Mo pipes in ammonia: 7, 34

HYDROGEN, SULFIDE
H_2S gas attack vs materials failures: 1, 9
H_2S pressure vs sulfide cracking: 1, 44
inhibition of deep, hot natural gas well: 10, 44
instantaneous monitoring of gas lines: 8, 47
petroleum refinery desalter controls: 7, 9
pipe inductive weld grooving in salt water: 9, 41
SCC of carbon steels in amine service: 7, 18
13 Cr clad oilwell tubing performance: 6, 48

I

IMMERSION
Ni-Cr-Mo + Or-Nb,W, Co vs sulfuric acid: 2, 27
silicon in iron, infl. vs sulfuric acid: 1, 37
Ti, Cr-Ni, Ni-Cr alloys vs combustion gas: 4, 35
cleaning steel of chlorides and sulfates: 7, 53

IMPACT TESTS, ON SITE
review, welding carbon steel deaerator: 12, 30

IMPACT, LABORATORY TESTS
cupronickel SCC, H embrittlement in brine: 10, 28

IMPEDANCE, ELECTRICAL TESTING
computers for control and monitoring: 11, 23
electrochemical tests for slue gas corro.: 11, 9

IMPINGEMENT
icebreaker prot. against Arctic seawater: 12, 45

IMPRESSED CURRENT, CATHODIC PROTECTION
computer anal. inhomogeneous electrolytes: 11, 33
electronic spreadsheet cath. prot. design: 9, 25
icebreaker prot. against Arctic seawater: 12, 45
photoelectric CP system for gas piping: 4, 43

INCINERATION, WASTE DISPOSAL
chlorinated hydrocarbon incinerator boil.: 3, 9

INCLUSIONS
CO_2 attack prediction in new field: 3, 41
welding carbon steel deaerator: 12, 30

INHIBITORS
automated inhibition of gas-life wells: 1, 33
basics—dealloying of Cu-Zn alloys: 11, 59
computers for control and monitoring: 11, 23
control of Co leaching from carbide tool: 10, 38
corrosion-free airplane evolution: 3, 57
economical continuous inhib. gas tubulars: 6, 27
elastomer seals vs oilwell inhibitors: 5, 40
electrochemical monitor for auto coolant: 11, 28
hi temp. carburization of C steel vs acetone: 10, 51
icebreaker prot. against Arctic seawater: 12, 45
inhibition of deep, hot natural gas well: 10, 44
inhibitor residual concentration tests: 5, 51
instantaneous monitoring of gas lines: 8, 47
review—inhibition with molybdates: 5, 9
review, SCC of steel in liquid ammonia: 12, 18
scale inh. for desalination evaporator: 6, 38
SCC of carbon steels in amine service: 7, 18
silicate inhibitors for water systems: 5, 19
temporary petroleum-base rust controls: 5, 26
zirconium vs sulfuric acid up to 80 perc.: 2, 15
13 Cr clad oilwell tubing performance: 6, 48

INITIATION, CRACKING
SCC of carbon steels in amine service: 7, 18

INORGANIC COATINGS
combustion gas duct materials performance: 2, 41

INORGANIC INHIBITORS
low nitrite inhibitors in cooling water: 5, 45
scale inh. for desalination evaporator: 6, 38

INORGANIC-ORGANIC MULTIPHASE MATERIALS
combustion gas duct materials performance: 2, 41
glass fiber polymer tanks for gasohols: 9, 34
polymer laminates—acoustic tests vs stress: 2, 9

INSPECTION TESTING
EPRI computer database on nuclear cracking: 11, 43
errata, Ni alloys in petroleum refinery: 10, 34
metal failures in flue gas desulfurizers: 3, 15
SCC of carbon steels in amine service: 7, 18

INSTRUMENTATION, TESTING
biocide tests on cooling water microbes: 8, 9

cathodic disbondment of pipeline coating: 9, 20
chlorinated hydrocarbon incinerator boil.: 3, 9
CO_2 attack prediction in new field: 3, 41
electrochemical tests for slue gas corro.: 11, 9
heat treatment of stainless, Ni-base alloy: 12, 23
instantaneous monitoring of gas lines: 8, 47
stainless, Ni alloys vs sulf. in flue gas: 8, 30

INTERFACE
organic inhibitors in cooling water: 5, 32
review, SCC of steel in liquid ammonia: 12, 18
sulfur, Cl vs electric power equipment: 2, 33

INTERFERENCE, CATHODIC PROTECTION
casing cathodic protection—20-yr review: 1, 23
erratum, cathodic prot. of petro. well casing: 7, 37
gas storage well casing cathodic protection: 1, 17

INTERGRANULAR CRACKING
erratum—biol. cor. in hi-temp., pure water: 9, 16

INTERGRANULAR, LOCALIZED EFFECTS
basics, intergranular corrosion: 12, 103
biological attack in hi-temp. hi-purity water: 6, 51
computers for control and monitoring: 11, 23
cupronickel SCC, H embrittlement in brine: 10, 28
hi nickel alloys in pero. ref., chem. envir.: 7, 27
pure Ni and Cr-Fe alloys vs sodium hydro.: 4, 9
SCC of C + Mn steels in carbon dioxide: 10, 20
SCC of carbon steels in amine service: 7, 18
zinc galvanic anode reactions at hi temp.: 4, 31
zirconium vs sulfuric acid up to 80 perc.: 2, 15

ION EXCHANGE, FILTRATION
biological attack in hi-temp. hi-purity water: 6, 51

IONIC CAUSES/EFFECTS
metal ion concentration cells—fundamental: 5, 65
control of Co leaching from carbide tool: 10, 38
microbiological attacks on copper in H_2O: 2, 37
zirconium vs sulfuric acid up to 80 perc.: 2, 15

IRON
control of Co leaching from carbide tool: 10, 38
copper grounding alternatives re. cath. pr.: 9, 17
low nitrite inhibitors in cooling water: 5, 45
microbe induced solids in seawater flood: 7, 39
review—inhibition with molybdates: 5, 9
silicate inhibitors for water systems: 5, 19
silicon in iron, infl. vs sulfuric acid: 1, 37
Statue of Liberty corrosion—part 3: 4, 74
Statue of Liberty corrosion problems: 3, 80
zinc galvanic anode reactions at hi temp.: 4, 31
zirconium vs sulfuric acid up to 80 perc.: 2, 15
HEDTA solutions to remove iron oxides: 4, 18
oxygen diffusion through hydraul. concrete: 12, 39
Statue of Liberty—Restoration—Part 5: 6, 80
concentrated H_2SO_4 vs carbon steel tanks: 7, 48

ISOTOPIC NONDESTRUCTIVE TESTING
inhibitor residual concentration tests: 5, 51

J

JOINING
SCC of mill-annealed in 600 in steam gen.: 1, 49

L

LIGNITE, COAL
combustion gas duct materials performance: 2, 41
metal failures in flue gas desulfurizers: 3, 15

LININGS
brittle fracture brick lined pres. vessel: 3, 24
automated inhibition of gas-lift wells: 1, 33
microbe induced solids in seawater flood: 7, 39
combustion gas duct materials performance: 2, 41

LIQUID PETROLEUM ENERGY SOURCES
petroleum refinery desalter controls: 7, 9

LOCALIZED MATERIALS EFFECTS
CO_2 attack prediction in new field: 3, 41
instantaneous monitoring of gas lines: 8, 47

M

MAGNESIUM
silicate inhibitors for water systems: 5, 19
cupronickel SCC, H embrittlement in brine: 10, 28
O_2 depletion hazard in closed steel tank: 9, 49

MAGNETIC NONDESTRUCTIVE TESTING
deaerator failure analysis case histories: 10, 9
review, SCC of steel in liquid ammonia: 12, 18
SCC of carbon steels in amine service: 7, 18

MAGNETITE
HEDTA solutions to remove iron oxides: 4, 18
deaerator failure analysis case histories: 10, 9
review, welding carbon steel deaerator: 12, 30

MANGANESE
silicate inhibitors for water systems: 5, 19

MARINE ATMOSPHERIC
cleaning steel of chlorides and sulfates: 7, 53

MECHANISM, INHIBITORS
organic inhibitors in cooling water: 5, 32
review—inhibition with molybdates: 5, 9

METAL COATINGS
AC impedance tests of electrogalvanized: 11, 18
chemical Ni plating in process environment: 8, 21
hot metal dipped steel sheets properties: 8, 36
review, welding carbon steel deaerator: 12, 30

METALS, GENERAL
metal ion concentration cells—fundamental: 5, 65

METALS, NONFERROUS
low nitrite inhibitors in cooling water: 5, 45
review—inhibition with molybdates: 5, 9

METALSTRAP SOIL REINFORCING
soil reinforcing with metal straps: 5, 55

METHYL ALCOHOLS
glass fiber polymer tanks for gasohols: 9, 34

MICROORGANISMS
casing cathodic protection—20-yr review: 1, 23
erratum, cathodic prot. of petro. well casing: 7, 37
microbe induced solids in seawater flood: 7, 39

MICROSTRUCTURE, METALS
heat treatment of stainless, Ni-base alloy: 12, 23
hot metal dipped steel sheets properties: 8, 36
review, welding carbon steel deaerator: 12, 30

MOLYBDATE INHIBITORS
molybdate inhib. for coal slurry pipeline: 6, 45
review—inhibition with molybdates: 5, 9

MOLYBDENUM
hydrogen vs C + 0.5 Mo pipes in ammonia: 7, 34

MORPHOLOGY, SCALE
hi temp. carburization of C steel vs acetone: 10, 51

MORTAR, CONCRETE
oxygen diffusion through hydraul. concrete: 12, 39

N

NACE STANDARDS AND REPORTS
critical review—RP-01-69 on cath. protec.: 9, 9
H_2S pressure vs sulfide cracking: 1, 44

NATURAL GAS
CO_2 attack prediction in new field: 3, 41
economical continuous inhib. gas tubulars: 6, 27
errata—electronic monitoring of gas linings: 11, 52
inhibition of deep, hot natural gas well: 10, 44
instantaneous monitoring of gas lines: 8, 47
photoelectric CP system for gas piping: 4, 43
SCC of C + Mn steels in carbon dioxide: 10, 20
telluric currents vs pipelines in Nz: 3, 27

NICKEL
basics—dealloying of Cu-Zn alloys: 11, 59
chemical Ni plating in process environment: 8, 21
chlorinated hydrocarbon incinerator boil.: 3, 9
cupronickel SCC, H embrittlement in brine: 10, 28
zirconium vs sulfuric acid up to 80 perc.: 2, 15

NITRITES
low nitrite inhibitors in cooling water: 5, 45

NITROGEN COMPOUNDS INHIBITORS
control of Co leaching from carbide tool: 10, 38
deaerator failure analysis case histories: 10, 9
elastomer seals vs oilwell inhibitors: 5, 40
inhibitor residual concentration tests: 5, 51
SCC of steel in liquid ammonia: 12, 18

NITROGEN
chlorinated hydrocarbon incinerator boil.: 3, 9
heat treatment of stainless, Ni-base alloy: 12, 23
petroleum refinery desalter controls: 7, 9
SCC of steel in liquid ammonia: 12, 18

NITROGENOUS COMPOUNDS
review, SCC of steel in liquid ammonia: 12, 18

NONAQUEOUS LIQUIDS NOT METALS, CHEMICAL
corrosion-free airplane evolution: 3, 57

NONDESTRUCTIVE TESTING
review, welding carbon steel deaerator: 12, 30

NONMETALLIC COATINGS, APPLICATION
abrasive blast cleaning merits and costs: 8, 15

NONMETALS
chlorinated hydrocarbon incinerator boil.: 3, 9

NUCLEAR REACTORS
EPRI computer database on nuclear cracking: 11, 43
SCC of mill-annealed in 600 in steam gen.: 1, 49

O

OCEAN WAVE ENERGY SOURCES
telluric currents vs pipelines in Nz: 3, 27

OFFSHORE OIL PETROLEUM—WELLS
computerized CP system for offshore plat.: 4, 46
computers for control and monitoring: 11, 23
icebreaker prot. against Arctic seawater: 12, 45
oxygen diffusion through hydraul. concrete: 12, 39

OIL
automated inhibition of gas-lift wells: 1, 33
casing cathodic protection—20-yr review: 1, 23
CO_2 attack prediction in new field: 3, 41
economical continuous inhib. gas tubulars: 6, 27
elastomer seals vs oilwell inhibitors: 5, 40
erratum, cathodic prot. of petro. well casing: 7, 37
H_2S gas attack vs materials failures: 1, 9
H_2S pressure vs sulfide cracking: 1, 44
inhibition of deep, hot natural gas well: 10, 44
inhibitor residual concentration tests: 5, 51
temporary petroleum-base rust controls: 5, 26

OPTICAL TESTING
SCC of carbon steels in amine service: 7, 18

ORGANIC BIOCIDES
biocide tests on cooling water microbes: 8, 9

ORGANIC COATINGS
coatings applic. equipment infl. on costs: 12, 13
disc, outlet ducts for FGD systems: 8, 58
predicting coatings behavior vs FGD system: 12, 9

ORGANIC INHIBITORS
organic inhibitors in cooling water: 5, 32

OXIDATION
O_2 depletion hazard in closed steel tank: 9, 49
control of Co leaching from carbide tool: 10, 38
corrosion basics, passivity phenomenal: 7, 71
metal failures in flue gas desulfurizers: 3, 15
silicon in iron, infl. vs sulfuric acid: 1, 37
temporary petroleum-base rust controls: 5, 26
Ti, Cr-Ni, Ni-Cr alloys vs combustion gas: 4, 35
zirconium vs sulfuric acid up to 80 perc.: 2, 15

OXYGEN
corrosion basics—crevice and poultice: 9, 63
fundamentals—oxygen concentration cell: 4, 57
hi nickel alloys in pero. ref., chem. envir.: 7, 27
icebreaker prot. against Arctic seawater: 12, 45
oxygen diffusion through hydraul. concrete: 12, 39

petroleum refinery desalter controls: 7, 9
review, SCC of steel in liquid ammonia: 12, 18
O_2 depletion hazard in closed steel tank: 9, 49

P

PAPER INDUSTRY
Kraft process equipment rate monitoring: 6, 18

PASSIVATION
cathodic protection vs microbial films: 11, 53
corrosion basics, passivity phenomenal: 7, 71
electrochemical monitor for auto coolant: 11, 28
HEDTA solutions to remove iron oxides: 4, 18
microbiological attacks on copper in H_2O: 2, 37
passivity, protective films—fundamental: 6, 73
zinc galvanic anode reactions at hi temp.: 4, 31
zirconium vs sulfuric acid up to 80 perc.: 2, 15

PEENING, SURFACE PREPARATION
review, SCC of steel in liquid ammonia: 12, 18
SCC of carbon steels in amine service: 7, 18

PERFORATION
casing cathodic protection—20-yr review: 1, 23
cathodic disbondment of pipeline coating: 9, 20
copper grounding alternatives re. cath. pr.: 9, 17
erratum, cathodic prot. of petro. well casing: 7, 37
instantaneous monitoring of gas lines: 8, 47
SCC of carbon steels in amine service: 7, 18

PERMEATION
steel in concrete vs seawater: 2, 18
biological attack in hi-temp. hi-purity water: 6, 51
hi temp. carburization of C steel vs acetone: 10, 51
glass fiber polymer tanks for gasohols: 9, 34

PETROCHEMICAL INDUSTRIES
errata, Ni alloys in petroleum refinery: 10, 34
hi nickel alloys in petro. ref., chem. envir.: 7, 27
SCC of C + Mn steels in carbon dioxide: 10, 20

pH
microbiological attacks on copper in H_2O: 2, 37
pipe inductive weld grooving in salt water: 9, 41
review, welding carbon steel deaerator: 12, 30
Statue of Liberty—Restoration—Part 5: 6, 80
cathodic protection vs microbial films: 11, 53
CO_2 attack prediction in new field: 3, 41
critical review—RP-01-69 on cath. protec.: 9, 9
heat treatment of stainless, Ni-base alloy: 12, 23
HEDTA solutions to remove iron oxides: 4, 18
molybdate inhib. for coal slurry pipeline: 6, 45
oxygen diffusion through hydraul. concrete: 12, 39
petroleum refinery desalter controls: 7, 9
review, welding carbon steel deaerator: 12, 30
SCC of C + Mn steels in carbon dioxide: 10, 20
silicate inhibitors for water systems: 5, 19
microbe induced solids in seawater flood: 7, 39
Ti, Cr-Ni, Ni-Cr alloys vs combustion gas: 4, 35

PHOSPHORUS
basics—dealloying of Cu-Zn alloys: 11, 59
chemical Ni plating in process environment: 8, 21

PHOTOELECTRIC GENERATION EQUIPMENT
photoelectric CP system for gas piping: 4, 43

PIERS
steel in concrete vs seawater: 2, 18

PIPE-TO-SOIL OR WATER TESTS
AC current vs cath. protected pipelines: 1, 55
telluric currents vs pipelines in Nz: 3, 27

PIPELINES TRANSPORTATION
AC current vs cath. protected pipelines: 1, 55
cathodic disbondment of pipeline coating: 9, 20
errata—electronic monitoring of gas line: 11, 52
molybdate inhib. for coal slurry pipeline: 6, 45
telluric currents vs pipelines in Nz: 3, 27
test for SCC threshold stress parameters: 6, 9

PITTING
AC current vs cath. protected pipelines: 1, 55
biological attack in hi-temp. hi-purity water: 6, 51
corrosion basics—open pitting attack: 8, 65
CO_2 attack prediction in new field: 3, 41
deaerator failure analysis case histories: 10, 9
electrochemical tests for slue gas corro.: 11, 9
icebreaker prot. against Arctic seawater: 12, 45
inhibition of deep, hot natural gas well: 10, 44
instantaneous monitoring of gas lines: 8, 47
microbe induced solids in seawater flood: 7, 39
stainless, Ni alloys vs sulf. in flue gas: 8, 30
sulfur, Cl vs electric power equipment: 2, 33
Ti, Cr-Ni, Ni-Cr alloys vs combustion gas: 4, 35

POLARIZATION
critical review—RP-01-69 on cath. protec.: 9, 9
microbiological attacks on copper in H_2O: 2, 37
pipe inductive weld grooving in salt water: 9, 41
control of Co leaching from carbide tool: 10, 38
inhibition of deep, hot natural gas well: 10, 44
Kraft process equipment rate monitoring: 6, 18
low nitrite inhibitors in cooling water: 5, 45
oxygen diffusion through hydraul. concrete: 12, 39
review, SCC of steel in liquid ammonia: 12, 18
computer anal. inhomogeneous electrolytes: 11, 33
computers for control and monitoring: 11, 23

POLYAMIDES, THIN FILM COATINGS
predicting coatings behavior vs FGD system: 12, 9

POTENTIALS
pipe inductive weld grooving in salt water: 9, 41
predicting coatings behavior vs FGD system: 12, 9
Ti, Cr-Ni, Ni-Cr alloys vs combustion gas: 4, 35
casing cathodic protection—20-yr review: 1, 23
computer anal. inhomogeneous electrolytes: 11, 33
computerized CP system for offshore plat: 4, 46
critical review—RP-01-69 on cath. protec.: 9, 9
erratum, cathodic prot. of petro. well casing: 7, 37
gas storage well casing cathodic protection: 1, 17
soil reinforcing with metal straps: 5, 55

POTENTIOMETER TESTING
electrochemical tests for slue gas corro.: 11, 9
oxygen diffusion through hydraul. concrete: 12, 39

PRECIPITATION
silicate inhibitors for water systems: 5, 19
heat treatment of stainless, Ni-base alloy: 12, 23

PREDICTIVE CALCULATIONS
casing cathodic protection—20-yr review: 1, 23
computers anal. inhomogeneous electrolytes: 11, 33
computers for control and monitoring: 11, 23
CO_2 attack prediction in new field: 3, 41
EPRI computer database on nuclear cracking: 11, 43
gas storage well casing cathodic protect.: 1, 17
glass fiber polymer tanks for gasohols: 9, 34
predicting coatings behavior vs FGD system: 12, 9
SCC of C + Mn steels in carbon dioxide: 10, 20

PRESSURE VESSEL STEELS
review, SCC of steel in liquid ammonia: 12, 18
review, welding carbon steel deaerator: 12, 30

PRESSURE VESSELS
deaerator failure analysis case histories: 10, 9
EPRI computer database on nuclear cracking: 11, 43
review, SCC of steel in liquid ammonia: 12, 18
SCC of carbon steels in amine service: 7, 18

PRESSURE
cathodic disbondment of pipeline coating: 9, 20
H_2S pressure vs sulfide cracking: 1, 44
Statue of Liberty corrosion—Part 3: 4, 74
H_2S pressure vs sulfide cracking: 1, 44
automated inhibition of gas-lift wells: 1, 33
cathodic disbondment of pipeline coating: 9, 20
icebreaker prot. against Arctic seawater: 12, 45

PRIMERS, ORGANIC NONMETALLIC COATINGS
corrosion-free airplane evolution: 3, 57

PRODUCTION, PETROLEUM
erratum, cathodic prot. of petro. well casing: 7, 37
icebreaker prot. against Arctic seawater: 12, 45
microbe induced solids in seawater flood: 7, 39
13 Cr clad oilwell tubing performance: 6, 48

PUMPS
icebreaker prot. against Arctic seawater: 12, 45

PYROPHORICITY, SAFETY
zirconium vs sulfuric acid up to 80 perc.: 2, 15

R

RADIATION EFFECTS
concentrated H_2SO_4 vs carbon steel tanks: 7, 48

RAILROAD TANK CARS
chemical Ni plating in process environment: 8, 21

REFINING, PETROLEUM
deaerator failure analysis case histories: 10, 9
errata, Ni alloys in petroleum refinery: 10, 34
hi nickel alloys in pero. ref., chem. envir.: 7, 27
petroleum refinery desalter controls: 7, 9
SCC of carbon steels in amine service: 7, 18

RESIDUAL STRESSES
deaerator failure analysis case histories: 10, 9
review, SCC of steel in liquid ammonia: 12, 18
review, welding carbon steel deaerator: 12, 30
SCC of mill-annealed in 600 in steam gen.: 1, 49

RESISTANCE, INST. RATE METER
computers for control and monitoring: 11, 23

RESISTIVITIES
cathodic disbondment of pipeline coating: 9, 20
casing cathodic protection—20-yr review: 1, 23
soil reinforcing with metal straps: 5, 55
icebreaker prot. against Arctic seawater: 12, 45
oxygen diffusion through hydraul. concrete: 12, 39
computer anal. inhomogeneous electrolytes: 11, 33
erratum, cathodic prot. of petro. well casing: 7, 37

S

SALT, AQUEOUS
chemical Ni plating in process environment: 8, 21
icebreaker prot. against Arctic seawater: 12, 45
inhibition of deep, hot natural gas well: 10, 44
oxygen diffusion through hydraul. concrete: 12, 39
pipe inductive weld grooving in salt water: 9, 41
zinc galvanic anode reactions at hi temp.: 4, 31

SEA AQUEOUS
cathodic protection vs microbial films: 11, 53
computer anal. inhomogeneous electrolytes: 11, 33
computerized CP system for offshore plat.: 4, 46
cupronickel SCC, H embrittlement in brine: 10, 28
microbe induced solids in seawater flood: 7, 39
oxygen diffusion through hydraul. concrete: 12, 39
scale inh. for desalination evaporator: 6, 38
steel in concrete vs seawater: 2, 18
telluric currents vs pipelines in Nz: 3, 27
zinc galvanic anode reactions at hi temp.: 4, 31

SEALANTS, COATINGS, USES
corrosion-free airplane evolution: 3, 57

SILICON
biological attack in hi-temp. hi-purity water: 6, 51
silicon in iron, infl. vs sulfuric acid: 1, 37

SLOW STRAIN RATE TESTS
cupronickel SCC, H embrittlement in brine: 10, 28
review, SCC of steel in liquid ammonia: 12, 18
SCC of carbon steels in amine service: 7, 18

SODIUM
cupronickel SCC, H embrittlement in brine: 10, 28
molybdate inhib. for coal slurry pipeline: 6, 45
petroleum refinery desalter controls: 7, 9
pure Ni and Cr-Fe alloys vs sodium hydro.: 4, 9
chemical Ni plating in process environment: 8, 21
deaerator failure analysis case histories: 10, 9
pure Ni and Cr-Fe alloys vs sodium hydro.: 4, 9
superheater design vs caustic cracking: 4, 13
molybdate inhib. for coal slurry pipeline: 6, 45
combustion gas duct materials performance: 2, 41
Kraft process equipment rate monitoring: 6, 18
low nitrite inhibitors in cooling water: 5, 45
molybdate inhib. for coal slurry pipeline: 6, 45
pure Ni and Cr-Fe alloys vs sodium hydro.: 4, 9
review, SCC of steel in liquid ammonia: 12, 18
13 Cr clad oilwell tubing performance: 6, 48

SOILS
cathodic disbondment of pipeline coating: 9, 20
soil reinforcing with metal straps: 5, 55

SOLAR HEAT EXCHANGERS
silicate inhibitors for water systems: 5, 19

STEAM TURBINES
sulfur, Cl vs electric power equipment: 2, 33
superheater chemical cleaning study: 4, 25

STEAM
deaerator failure analysis case histories: 10, 9
HEDTA solutions to remove iron oxides: 4, 18
SCC of mill-annealed in 600 in steam gen.: 1, 49
steam generator galvanic attack in clean: 3, 33
superheater chemical cleaning study: 4, 25
superheater design vs caustic cracking: 4, 13

STEEL REINFORCED
copper grounding alternatives re. cath. pr.: 9, 17
oxygen diffusion through hydraul. concrete: 12, 39
soil reinforcing with metal straps: 5, 55
steel in concrete vs seawater: 2, 18

STEEL
test for SCC threshold stress parameters: 6, 9

STEELS CARBON
copper grounding alternatives re. cath. pr.: 9, 17
hot metal dipped steel sheets properties: 8, 36
temporary petroleum-base rust controls: 5, 26

STEELS, CARBON WROUGHT + Mo
sulfur, Cl vs electric power equipment: 2, 33

STEELS, OTHER
AC current vs cath. protected pipelines: 1, 55
copper grounding alternatives re. cath. pr.: 9, 17
CO_2 attack prediction in new field: 3, 41
heat treatment of stainless, Ni-base alloy: 12, 23
review, welding carbon steel deaerator: 12, 30
stainless, Ni alloys vs sulf. in flue gas: 8, 30

STORAGE CONTAINERS & BUILDING EQUIPMENT
temporary petroleum-base rust controls: 5, 26

STRATIFICATION OF MIXTURES
instantaneous monitoring of gas lines: 8, 47

STRAY CURRENTS
AC current vs cath. protected pipelines: 1, 55
EPRI computer database on nuclear cracking: 11, 43
soil reinforcing with metal straps: 5, 55

STRESS CELLS
review, SCC of steel in liquid ammonia: 12, 18
review, welding carbon steel deaerator: 12, 30
Statue of Liberty corrosion—Part 3: 4, 74

STRESS CORROSION CRACKING
biological attack in hi-temp. hi-purity water: 6, 51
chemical Ni plating in process environment: 8, 21
deaerator failure analysis case histories: 10, 9
hi nickel alloys in pero. ref., chem. envir.: 7, 27
H_2S gas attack vs materials failures: 1, 9
H_2S pressure vs sulfide cracking: 1, 44
icebreaker prot. against Arctic seawater: 12, 45
metal failures in flue gas desulfurizers: 3, 15
review, SCC of steel in liquid ammonia: 12, 18
review, welding carbon steel deaerator: 12, 30
SCC of C + Mn steels in carbon dioxide: 10, 20
SCC of mill-annealed in 600 in steam gen.: 1, 49
stainless, Ni alloys vs sulf. in flue gas: 8, 30
sulfur, Cl vs electric power equipment: 2, 33
superheater design vs caustic cracking: 4, 13
test for SCC threshold stress parameters: 6, 9

STRESS RELIEVING
SCC of C + Mn steels in carbon dioxide: 10, 20
SCC of mill-annealed in 600 in steam gen.: 1, 49

STRESSES
biological attack in hi-temp. hi-purity water: 6, 51
brittle fracture brick lined pres. vessel: 3, 24
cupronickel SCC, H embrittlement in brine: 10, 28
deaerator failure analysis case histories: 10, 9
EPRI computer database on nuclear cracking: 11, 43
review, welding carbon steel deaerator: 12, 30

SULFATES, BASES AND SALTS
AC impedance tests of electrogalvanized: 11, 18
basics—dealloying of Cu-Zn alloys: 11, 59
molybdate inhib. for coal slurry pipeline: 6, 45
pure Ni and Cr-Fe alloys vs sodium hydro.: 4, 9
soil reinforcing with metal straps: 5, 55
temporary petroleum-base rust controls: 5, 26
Ti, Cr-Ni, Ni-Cr alloys vs combustion gas: 4, 35

SULFIDES, BASES AND SALTS
cathodic protection vs microbial films: 11, 53
disc, outlet ducts for FGD systems: 8, 58
microbe induced solids in seawater flood: 7, 39
predicting coatings behavior vs FGD system: 12, 9
stainless, Ni alloys vs sulf. in flue gas: 8, 30

SULFITES, BASES AND SALTS
metal failures in flue gas desulfurizers: 3, 15

SULFONATES, INORGANIC INHIB.
deaerator failure analysis case histories: 10, 9
temporary petroleum-base rust controls: 5, 26

SULFUR
pipe inductive weld grooving in salt water: 9, 41

SULFUR DIOXIDE
combustion gas duct materials performance: 2, 41
electrochemical tests for slue gas corro.: 11, 9
metal failures in flue gas desulfurizers: 3, 15
sulfur, Cl vs electric power equipment: 2, 33

SULFUR
biological attack in hi-temp. hi-purity water: 6, 51
chemical Ni plating in process environment: 8, 21
cleaning steel of chlorides and sulfates: 7, 53
combustion gas duct materials performance: 2, 41
disc, outlet ducts for FGD systems: 8, 58
hi nickel alloys in pero. ref., chem. envir.: 7, 27
Kraft process equipment rate monitoring: 6, 18
petroleum refinery desalter controls: 7, 9
review, SCC of steel in liquid ammonia: 12, 18
sulfur, Cl vs electric power equipment: 2, 33

SULFURIC ACIDS
combustion gas duct materials performance: 2, 41
concentrated H_2SO_4 vs carbon steel tanks: 7, 48
electrochemical tests for slue gas corro.: 11, 9
HEDTA solutions to remove iron oxides: 4, 18
Ni-Cr-Mo + Or-Nb,W, Co vs sulfuric acid: 2, 27
predicting coatings behavior vs FGD system: 12, 9
restoring Lady Liberty—An update—1, 83
silicon in iron, infl. vs sulfuric acid: 1, 37
zirconium vs sulfuric acid up to 80 perc.: 2, 15

SURFACE EFFECTS
corrosion basics—open pitting attack: 8, 65
EPRI computer database on nuclear cracking: 11, 43
hot metal dipped steel sheets properties: 8, 36
review, welding carbon steel deaerator: 12, 30
stainless, Ni alloys vs sulf. in flue gas: 8, 30
Ti, Cr-Ni, Ni-Cr alloys vs combustion gas: 4, 35

SURFACE PREPARATION
AC current vs cath. protected pipelines: 1, 55
cleaning steel of chlorides and sulfates: 7, 53
combustion gas duct materials performance: 2, 41
concentrated H_2SO_4 vs carbon steel tanks: 7, 48
restoring Lady Liberty—An update: 1, 83
review, welding carbon steel deaerator: 12, 30
Statue of Liberty—Restoration—Part 5: 6, 80

T

TANKS
stainless, Ni alloys vs sulf. in flue gas: 8, 30
review, SCC of steel in liquid ammonia: 12, 18
biological attack in hi-temp. hi-purity water: 6, 51
brittle fracture brick lined pres. vessel: 3, 24
chemical Ni plating in process environment: 8, 21
computer anal. inhomogeneous electrolytes: 11, 33
concentrated H_2SO_4 vs carbon steel tanks: 7, 48
hi nickel alloys in pero. ref., chem. envir.: 7, 27
icebreaker prot. against Arctic seawater: 12, 45
review, welding carbon steel deaerator: 12, 30
SCC of carbon steels in amine service: 7, 18
O_2 depletion hazard in closed steel tank: 9, 49
glass fiber polymer tanks for gasohols: 9, 34

TEMPERATURE CAUSES/EFFECTS
biocide tests on cooling water microbes: 8, 9
cathodic disbondment of pipeline coating: 9, 20
CO_2 attack prediction in new field: 3, 41
critical review—RP-01-69 on cath. protec.: 9, 9
cupronickel SCC, H embrittlement in brine: 10, 28
economical continuous inhib. gas tubulars: 6, 27
electrochemical tests for slue gas corro.: 11, 9
EPRI computer database on nuclear cracking: 11, 43
microbe induced solids in seawater flood: 7, 39
petroleum refinery desalter controls: 7, 9
review, SCC of steel in liquid ammonia: 12, 18
review, welding carbon steel deaerator: 12, 30
SCC of carbon steels in amine service: 7, 18
superheater chemical cleaning study: 4, 25
temporary petroleum-base rust controls: 5, 26
O_2 depletion hazard in closed steel tank: 9, 49

TIME/EFFECTS
computers for control and monitoring: 11, 23
scale inh. for desalination evaporator: 6, 38
AC impedance tests of electrogalvanized: 11, 18
deaerator failure analysis case histories: 10, 9

TIME, TESTING
CO_2 attack prediction in new field: 3, 41
silicon in iron, infl. vs sulfuric acid: 1, 37

TIN
AC current vs cath. protected pipelines: 1, 55
basics—dealloying of Cu-Zn alloys: 11, 59

TIN SALTS
biocide tests on cooling water microbes: 8, 9
combustion gas duct materials performance: 2, 41
metal failures in flue gas desulfurizers: 3, 15
scale inh. for desalination evaporator: 6, 38

TITANIUM
combustion gas duct materials performance: 2, 41
icebreaker prot. against Arctic seawater: 12, 45
Ti, Cr-Ni, Ni-Cr alloys vs combustion gas: 4, 35

TRANSGRANULAR CRACKING
deaerator failure analysis case histories: 10, 9
metal failures in flue gas desulfurizers: 3, 15
superheater design vs caustic cracking: 4, 13

TRANSISTORS, ELECTRICAL TRANS.
computers for control and monitoring: 11, 23

TRANSMISSION, ELECTRICITY
AC current vs cath. protected pipelines: 1, 55

TRANSPARENCE, VISUAL PERCEPT.
chlorinated hydrocarbon incinerator boil.: 3, 9

TURBULENCE
concentrated H_2SO_4 vs carbon steel tanks: 7, 48
petroleum refinery desalter controls: 7, 9

U

ULTRASONIC NONDESTRUCTIVE TESTING
brittle fracture brick lined pres. vessel: 3, 24
deaerator failure analysis case histories: 10, 9
hydrogen vs C + 0.5 Mo pipes in ammonia: 7, 34
SCC of carbon steels in amine service: 7, 18

UNDERGROUND ENVIRONMENTS
AC current vs cath. protected pipelines: 1, 55
copper grounding alternatives re. cath. pr.: 9, 17
critical review—RP-01-69 on cath. protec.: 9, 9
glass fiber polymer tanks for gasohols: 9, 34

UNDERGROUND TESTING
AC current vs cath. protected pipelines: 1, 55

UNDERGROUND, CATHODIC PROTECTION
AC current vs cath. protected pipelines: 1, 55

UNIT PROCESS EQUIPMENT
brittle fracture brick lined pres. vessel: 3, 24
hydrogen vs C + 0.5 Mo pipes in ammonia: 7, 34

URETHANES THIN FILM COATINGS
combustion gas duct materials performance: 2, 41
corrosion-free airplane evolution: 3, 57

USES OF COATINGS
cathodic disbondment of pipeline coating: 9, 20

V

VALVES
automated inhibition of gas-lift wells: 1, 33
superheater chemical cleaning study: 4, 25

VELOCITY
low nitrite inhibitors in cooling water: 5, 45
AC impedance tests of electrogalvanized: 11, 18
icebreaker prot. against Arctic seawater: 12, 45
microbe induced solids in seawater flood: 7, 39
petroleum refinery desalter controls: 7, 9
pure Ni and Cr-Fe alloys vs sodium hydro.: 4, 9

VENTILATION, SAFETY
O_2 depletion hazard in closed steel tank: 9, 49

VIBRATION EFFECTS
review, welding carbon steel deaerator: 12, 30

VINYLS
combustion gas duct materials performance: 2, 41
glass fiber polymer tanks for gasohols: 9, 34

VISCOSITY
petroleum refinery desalter controls: 7, 9
temporary petroleum-base rust controls: 5, 26

W

WASTE DISPOSAL
chlorinated hydrocarbon incinerator boil.: 3, 9

WASTE, ENERGY SOURCES
chlorinated hydrocarbon incinerator boil.: 3, 9

WATER, GENERAL
concentrated H_2SO_4 vs carbon steel tanks: 7, 48
control of Co leaching from carbide tool: 10, 38
hi temp. carburization of C steel vs acetone: 10, 51
review, SCC of steel in liquid ammonia: 12, 18

WELDING, JOINING
brittle fracture brick lined pres. vessel: 3, 24
combustion gas duct materials performance: 2, 41
concentrated H_2SO_4 vs carbon steel tanks: 7, 48
deaerator failure analysis case histories: 10, 9
hot metal dipped steel sheets properties: 8, 36
icebreaker prot. against Arctic seawater: 12, 45
pipe inductive weld grooving in salt water: 9, 41
review, SCC of steel in liquid ammonia: 12, 18
review, welding carbon steel deaerator: 12, 30
SCC of C + Mn steels in carbon dioxide: 10, 20
SCC of carbon steels in amine service: 7, 18
steam generator galvanic attack in clean: 3, 33
superheater chemical cleaning study: 4, 25
zirconium vs sulfuric acid up to 80 perc.: 2, 15

WELL DRILLING EQUIPMENT
cupronickel SCC, H embrittlement in brine: 10, 28
H_2 pressure vs sulfide cracking: 1, 44

WIRE BRUSHING, SURF. PREP.
cleaning steel of chlorides and sulfates: 7, 53

WROUGHT COPPER
electrochemical monitor for auto coolant: 11, 28

X-Z

X-RAY NONDESTRUCTIVE TESTING
hi temp. carburization of C steel vs acetone: 10, 51
superheater design vs caustic cracking: 4, 13

ZINC
AC current vs cath. protected pipelines: 1, 55
basics—dealloying of Cu-Zn alloys: 11, 59
silicate inhibitors for water systems: 5, 19
zinc galvanic anode reactions at hi temp.: 4, 31

ZINC METAL COATINGS
AC impedance tests of electrogalvanized: 11, 18
soil reinforcing with metal straps: 5, 55
temporary petroleum-base rust controls: 5, 26

ZIRCONIUM
combustion gas duct materials performance: 2, 41

MP Annual Index by Author

A

Adkins, M. E.: Feb., 27; July, 27; Oct., 34
Aken, E. C.: July, 59
Alexandridou, A.: Oct., 20
Allegra, L.: Aug., 36
Allen, J. R.: July, 59
Anliker, D. M.: March, 15
Arnold, C. G.: July, 59
Asperger, R. G.: Aug., 47; Nov., 52

B

Baboian, R.: May, 60; Nov., 28; April, 74; March, 60; June, 60
Baumert, K. L.: July, 34
Beaupre, R.: June, 45
Beavers, J. A.: June, 9
Berge, J.-P.: Feb., 33
Berry, W. E.: June, 9
Bohnsack, G.: May, 32
Bonis, M. R.: March, 41
Boteler, D. H.: March, 27
Britton, J. N.: April, 46
Bucci, D. P.: July, 34
Buckheim, G. M.: Oct., 9
Burns, D. S.: July, 59
Buss, E.: May, 32

C

Caldwell, D. L.: Feb., 9
Casey, G. E.: April, 25
Chuba, B. R.: Aug., 21
Ciaraldi, S. W.: Jan., 9
Cliver, E. B.: April, 80; April, 74; March, 80; June, 80
Colaruotolo, J.: Aug., 21
Cookson, M. J.: March, 27
Cox, W. M.: Nov., 9
Craig, B. D.: June, 48
Craigie, L. J.: Sept., 34; Feb., 9
Crolet, J. L.: March, 41
Crowe, D. C.: June, 18
Crum, J. C.: Oct., 34
Crum, J. R.: July, 27; Feb., 27; April, 9

D

Dabkowski, J.: Jan., 17
Dattilo, M.: Nov., 18
De Groot, H. W.: Oct., 28
Dean, Jr., S. W.: July, 48; April, 13
Desgagne, M.: June, 45
Dewar, E. J.: July, 39
Dicks, L. W. R.: March, 9
Dougherty, J. A.: Oct., 44
Duran, C.: Sept., 41
Dutton, R. J. Aug., 36

E

El Busaidy, A. H. S.: Dec., 39
Ellis II, P. F.: March, 15
Erbar, R.: Nov., 23
Erlings, J. G.: Oct., 28
Esmonde, W. B.: May, 19
Evans, J.: April, 43
Everitt, D. M.: May, 45

F

Farquhar, G. B.: July, 50
Farr, J. P. G.: May, 9
Foroulis, Z. A.: Oct., 51
Fort III, W. C.: March, 9
Franco, R. J.: Oct., 9; Oct., 51
French, E. C.: Oct., 44
Frenier, W. W.: April, 18
Frondistou-Yann, S.: July, 53; May, 55
Fu, J. W.: March, 33

G

Galbraith, J. M.: Jan., 33
Gall, G. P.: April, 25
Gast, W. F.: Jan., 23; July, 37
Gatzke, L. K.: July, 59
Geesy, G. G.: Feb., 37
Gilman, J. D.: Nov., 43
Gjorv, O. E.: Dec., 39; Feb., 18
Gonsalves, E.: Nov., 28
Gooch, T. G.: Dec., 30
Grab, G. D.: July, 48; April, 13
Grauman, J. S.: April, 35
Greaves, B.: May, 45
Gummow, R. A.: Sept., 9
Guth, L. T.: Feb., 9
Gutzeit, J.: July, 18

H

Haltnar, W. C.: May, 51
Hamlin, A. W.: Jan., 55
Handt, P. R.: Sept., 49
Haney, E. G.: April, 31
Hansel, D.: Aug., 15
Haroun, M.: Nov., 23
Hart, P. H. M.: Dec., 30
Hausler, R. H.: June, 27
Haynes, G.: Nov., 28
Heidersbach, R.: Nov. 23
Helwig, L. E.: May, 26
Hendricks, A. L.: Aug., 58
Herbaleb, G.: Sept., 41
Hewitt, P. G.: Nov., 52; Aug., 47
Hill, D. E.: Jan, 33
Holt, R. J.: April, 46
Holtsbaum, W. B.: July, 59
Hoy, E. F.: April, 18
Hurst, Jr., L. R.: March, 24

I

Irwin, S. L.: July, 59

J

Johnson, D. A.: May, 32
Johnson, J. M.: July, 18
Jones, G. D.: March 15

K

Kardenetz, R. D.: Feb., 9
Kashino, N.: Feb., 18
Katsanis, E. P.: May, 19
Kellner, J. D.: Sept., 20
Kirkpatrick, F. L.: Sept., 17
Koch, G. H.: Dec., 9
Kriner, S. A.: Aug., 36
Krisher, A. S.: July, 59
Krishna, G. V.: July, 34
Kronenberger, D. L.: July, 9
Kurr, G. W.: July, 59

L

Lashen, E. S.: Aug., 9
Lee, K. H.: May, 32
Lee, T. S.: Aug., 30
Leidheiser, Jr., H.: Dec., 9
Limpert, G. J. C.: July, 59
Lindgau, D. G.: Dec., 45
Lindsay, P. B.: Dec., 23
Lipscomb, W. G.: Oct., 34; July, 27; April, 9
Logan, D. P.: June, 38
Loginow, A. W.: Dec., 18

M

Majumdar, P.: Oct., 20
Marshall, A.: May, 45
Martin, J. A.: May, 51
Matt, M.: Jan., 83
Maxwell, S.: Nov., 53
McCoy, W. F.: Aug., 9
Meadows, M. L.: Feb., 41
Miller, M. J.: Dec., 13
Miller, R. N.: March, 57
Mindlin, H.: Nov., 43
Misercola, A.: Aug., 21
Mitteiman, M. W.: Feb., 37
Mosher, E.: Oct., 38
Munn, R. S.: Nov., 33

N

Nicholas, K. W.: Sept., 25

O-P

Owens, C. M.: Jan., 49
Parkins, R. N.: Oct., 20; June, 9
Pattison, D. A.: July, 9
Peterson, L.: Oct., 38
Phull, B. S.: Nov., 9; Aug., 30
Pope, D. H.: June, 51

R-S

Rey, S. P.: June, 38
Ridge, J. E.: Aug., 9
Rosenberg, H. S.: Feb., 41; Aug., 58
Rungta, R.: Nov., 43
Sabin, H. A.: July, 59
Saldanha, B. J.: Jan., 37
Sastri, V. S.: June, 45
Schutz, R. W.: April, 35
Silva, R. A.: Feb., 41
Siu-Kee, C.: March, 33
Skold, R.: Oct., 38
Sohl, W. A.: July, 59
Spencer, R. W.: May, 19
Sterling, J. A.: April, 25
Stewart, D. A.: Feb., 41; March, 15
Stoecker, J. G.: June, 51; Sept., 16
Streicher, M. A.: Jan., 37
Svatek, M. J.: Sept., 34
Syrett, B. C.: Nov., 9

T-V

Townsend, H. E.: Aug., 36
Tracy, R. P.: Aug., 21
Treiss, E.: Sept., 41
Valone, F. W.: May, 51
Van Roy, J. F. M.: Oct., 28
Vaughn, G. A.: Jan., 44
Vennesland, O.: Dec., 39
Vukasovich, M. S.: May, 9

W-Z

Watkins, M.: Jan., 44
Watkins, M. J.: May, 40
Webster, R. T.: Feb., 15
Weeks, S. G.: June, 27
White, M. L.: Dec., 9
White, M. N.: Sept., 34
Wiewiorowski, M. C.: Jan., 33
Wrobie, B. A.: Nov., 9
Yau, T. L.: Feb., 15
Yeske, R. A.: June, 18